

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((("5450060") or ("6356192") or ("20030011471") or ("20030067385")).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/12 15:40
S2	1500	(receiver near6 (light or lamp)) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:41
S3	89	(receiver near6 (activat\$3 energiz\$3 illuminat\$3) near5 (light or lamp)) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:42
S4	3	(receiver near6 (activat\$3 energiz\$3 illuminat\$3) near5 (light or lamp)) same (remote near3 control\$3) same (motion near4 (sensor detector monitor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:46
S5	2	(receiver near6 (activat\$3 energiz\$3 illuminat\$3) near5 (light or lamp)) same (remote near3 control\$3) and (wireless same (motion near4 (sensor detector monitor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:51
S6	89	(receiver near6 (activat\$3 energiz\$3 illuminat\$3) near5 (light or lamp)) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:52
S7	1	S6 and (receiver with (motion movement) near4 (sens\$3 detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:52
S8	2	S6 and (receiver with (motion movement) near4 (sens\$3 detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 15:52
S9	22	("3506956"   "3933117"   "4052697"   "4259664"   "4293860"   "4607444"   "4624211"   "4625265"   "4633215"   "4797671"   "5089803"   "5140933"   "5251568"   "5319350"   "5388546"   "5477437"   "5481244"   "5491464"   "5609121"   "5786758"   "5933081").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 16:02
S10	2065	340/540-541,539.22539.26.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 16:04
S11	430	S10 and ((movement motion) near4 (sens\$3 detect\$3)) and (light illuminat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 16:05

S12	6	S11 and (remote near4 control\$3) same ((activat\$3 turn energiz\$3) near5 (light or lamp))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 16:06
S13	9	("3631434"   "4110738"   "4166273"   "4570157"   "4625199"   "4831438"   "4890093"   "5113178"   "5132684").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 16:13
S14	2	("6049274").URPN.	USPAT	OR	ON	2005/09/12 16:48
S15	4	(hunt\$3 with (motion near4 sens\$3 detect\$3)) same (remote\$2 near5 (receiver transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 17:16
S16	4	S15 and (light source illuminat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/12 17:17
S17	9	("3631434"   "4110738"   "4166273"   "4570157"   "4625199"   "4831438"   "4890093"   "5113178"   "5132684").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 17:18
S18	3	("5450060").URPN.	USPAT	OR	ON	2005/09/12 17:20
S19	20	("4503399"   "4510488"   "4703171"   "4853678"   "4982176"   "5217296"   "5220309"   "5266807"   "5418518"   "5450060"   "5461231"   "5473311"   "5554972"   "5602523"   "5604483"   "5627518"   "5726629"   "5735492"   "5760686"   "5763872").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 17:34
S20	59	(plurality near5 (motion movement) near5 (sensor\$1 detect\$3)) same (zone\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 17:45
S21	252	340/541 and (plurality multiple) near5 (alarm warning alert)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 17:45
S22	6	340/541 and (plurality multiple) near5 (alarm warning alert) same (zone\$1 area\$1) same (wireless wir\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 17:48
S23	1	("6288642").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/12 17:48
S24	10	("4056815"   "4064507"   "4498075"   "4943799"   "5440292"   "5463595"   "5777551"   "5850180"   "5877684"   "5939990").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:33

S25	484	((motion movement) near5 (detect\$3 sens\$3)) same (indicat\$3 with (predetermined near3 (time\$1 period\$1)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:42
S26	0	S25 and (indicator\$1 with color\$1) same (predetermined near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:43
S27	6	S25 and (indicator\$1 with color\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:43
S28	24	("3964058"   "4340879"   "4476461"   "4679034"   "5371489"   "5543797"   "5640141"   "5703367"   "5703368"   "5717867"   "5785243"   "5861806"   "5877688"   "5905436"   "5971597"   "5973594"   "6078253"   "6137407"   "6160479"   "6188318"   "6211783"   "6222191"   "6236303"   "6246321").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:52
S29	81	(portable mobile remote) near8 (motion near3 (sensor detector)) same (display)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:54
S30	40	S29 and (display\$3 with (temperature date time))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 18:58
S31	5	S29 and (display\$3 with (temperature ))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 19:17
S32	0	(motion near3 (sens\$3 or detect\$3)) same (indicator\$1 near6 bright\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 19:19
S33	45	(motion near3 (sens\$3 or detect\$3)) and (indicator\$1 near6 bright\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 19:20
S34	25	S33 and (indicator\$1 same color\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 19:21
S35	148	(motion near3 (sens\$3 or detect\$3)) and (indicator\$1 near6 (intensity ))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 19:21
S37	10	S35 and (indicator\$1 same color\$1 same sensor\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:20
S38	3	(receiver with indicator\$1 with color\$1) and (indicator\$1 with (intensit\$3 or brighter\$1)) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:48

S39	0	((motion movement) with indicator\$1 with color\$1) and (indicator\$1 with (intensit\$3 or brighter\$1)) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:48
S40	0	((motion movement) with (sensor\$1 detector\$1) with indicator\$1 with color\$1) and (indicator\$1 with (intensit\$3 or brighter\$1)) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:49
S41	2	(LED\$1 with indicator\$1 with color\$1) and (indicator\$1 with (intensit\$3 or brighter\$1)) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:54
S42	24	(LED\$1 with indicator\$1 with color\$1) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 21:06
S43	1	(motion near5 (receiver sensor detector)) and (LED\$1 with indicator\$1 with color\$1) same ((predetermined interval) near3 (time\$1 period\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 20:55
S44	124	((motion movement) near5 (sensor detector receiver)) same (temperature near3 sensor) same (display LCD)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 21:12
S45	5	S44 and (indicator\$1 same color\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 21:08
S46	29	((motion movement) near5 (sensor detector receiver)) same (indicator\$1 with (predetermined near3 (time\$1 period interval)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 21:20
S47	148	(motion near3 (sens\$3 or detect\$3)) and (indicator\$1 near6 (intensity ))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 09:03
S48	50	S47 and (indicator\$1 same color\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 09:03
S49	24	("3964058"   "4340879"   "4476461"   "4679034"   "5371489"   "5543797"   "5640141"   "5703367"   "5703368"   "5717867"   "5785243"   "5861806"   "5877688"   "5905436"   "5971597"   "5973594"   "6078253"   "6137407"   "6160479"   "6188318"   "6211783"   "6222191"   "6236303"   "6246321").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 09:27

S50	6	(hunt\$3 with (motion movement) with (sensor detector)) and (indicator\$1 alarm alert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 12:08
S51	31870	((motion movement) with (sensor\$1 detector\$1)) and (indicator\$1 alarm alert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 12:09
S52	82	((motion movement) with (sensor\$1 detector\$1)) same wireless same (receiver with (indicator\$1 alarm alert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 12:10
S53	0	S52 and (indicator\$1 near6 (specific particular correpond\$3) near4 (sensor\$1 detector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 12:11
S54	2	S52 and (indicator\$1 same (specific particular correpond\$3) near4 (sensor\$1 detector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:39
S55	37	(motion movement) near4 (sensor\$1 detector\$1) same (indicator\$1 near9 ((predetermined interval period) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:52
S56	1	(motion movement) near4 (sensor\$1 detector\$1) same (indicator\$1 near9 (brightness near3 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:53
S57	15	(sensor\$1 detector\$1) same (indicator\$1 near9 (brightness near3 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:53
S58	1	(sensor\$1 detector\$1) same (indicator\$1 near9 (brightness near3 level\$1)) same ((predetermined period interval preset) near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:54
S59	5	(indicator\$1 near9 (brightness near3 level\$1)) same ((predetermined period interval preset) near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:55
S60	42	(indicator\$1 near9 (brightness near3 level\$1)) and ((predetermined period interval preset) near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:56
S61	3	(indicator\$1 near9 (brightness near3 level\$1)) and ( first near3 ((predetermined period interval preset) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 20:57

S62	1	340/2.71 and (sensor\$1 detector\$1) same (indicator\$1 alarm alert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 21:01
S63	23	("3696384"   "4225953"   "4275385"   "4367458"   "4549264"   "4602357"   "4630035"   "4675656"   "4686513"   "4731814"   "4955000"   "5051741"   "5062151"   "5218344"   "5245317"   "5311185"   "5426425"   "5543797"   "5640144"   "5708423"   "5798694"   "5838234"   "5936527").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 20:59
S64	1	340/2.71 and (motion movement) near3 (sensor\$1 detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 21:02
S65	1118	((light\$1 or led) near4 (indicator\$1)) same (predetermined near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/13 21:03
S66	3	((light\$1 or led) near4 (indicator\$1)) same ((bright\$4 intensity) with (predetermined near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:37
S67	10	(light near4 on) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:39
S68	848	(light near4 (on or off)) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:50
S69	838	S68 not S67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:39
S70	37	S69 and (security near3 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:42
S71	1	S69 and (security near3 light) same (motion near3 sensor detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:42
S72	1	S69 and (security near3 light) same (motion near3 (sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:42

S73	11	(light near4 (on or off)) same (remote near3 control\$3) same (motion near3 (sensor or detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:52
S74	848	(light near4 (on or off)) same (remote near3 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:52
S75	18	(light near4 (on or off)) same (remote near3 control\$3) same (second near7 (light near3 off))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/14 12:53